



Crown Roll Leaf, Inc.

NJAC 7:1C-4.1 Public Notice

Crown Roll Leaf, Inc. (PI 31439)

91 Illinois Avenue
Paterson NJ 07503

EJ Project ID 34478680 BOP230001

- An NJDEP-required public hearing regarding a modification of the Operating Permit for Crown Roll Leaf will be held on **November 10, 2026 at 6:00 PM**, in Crown Roll Leaf's large conference room. A reservation is required to ensure adequate space is available: email to estelleg@crownrollleaf.com or call 973-742-4000.

The public may also attend via a Microsoft Teams link : {insert link here}

- Crown has operated its Paterson NJ coating operation since 1971 and employs over 200 people. Polyester film is coated via the rotogravure and wire bar method. The facility maintains 15 coating lines, as well as a coating mix room, an electroplating room, and storage for mixed coatings and for raw materials. Crown's manufacturing process consists of liquid mixtures (solids dissolved in organic solvents) coated onto continuous films. Once coated, the film is drawn through natural gas fired dryers, where solvents are evaporated prior to film rewind. Each coating line and the associated dryers are vented to one of two regenerative thermal oxidizers (RTOs). The RTOs capture and destroy up to 99% of the evaporated solvents.

Crown is an existing facility permitted under the Air Pollution Control regulations of NJ, amongst other governing laws and regulations. The facility is moving 10 electroplating baths from its other local building, at 12 Columbia Avenue, to its Illinois Avenue building. An air permit revision application has been submitted to NJDEP to allow the relocation of the baths. The relocation of the baths will have no effect on the community.

- See attached map indicating the location of the facility, including the street address, municipality, county, tax map block and lot, and size of the property.
- Crown has prepared an Environmental Justice Impact Statement (EJIS) that covers information required by NJAC 7:1C-3.2, including: an executive summary; description of the municipal and neighborhood setting of the facility; description of the facility's current and proposed operations; list of all the Federal, State, and local permits that are required; evidence of satisfaction of any local environmental justice or cumulative impact analysis ordinances; initial screening information obtained pursuant to N.J.A.C. 7:1C-2.3; assessment of the impacts both positive and negative of the facility on each environmental and public health stressor in the overburdened community; public participation plan; and demonstration including any necessary operational conditions and control measures that the facility will avoid a disproportionate impact that would occur by creating adverse cumulative stressors in the overburdened community. The EJIS has been submitted to NJDEP. To view a copy of the EJIS: dep.nj.gov/cj/meetings/#njdep-cjpublicmeeting. A copy of the EJIS and associated permit applications can be viewed and copied at Crown Roll Leaf facility. A copy may also be viewed [via the link at crownrollleaf.com](https://crownrollleaf.com)
- The public is invited to participate in the public hearing. This hearing will be recorded, transcribed, and shall made available to the public until at least the close of the comment period. This is also an announcement of a 60-day public comment period beginning on the date of the public hearing. Be advised that, for a period of no less than 30 days after the hearing and 60 days total, written comments may be submitted to: Estelle Gatta (Facility General Manager) at estelleg@crownrollleaf.com or mailed to the Crown address noted above.